



RUBBEDIN PTY LTD
MATERIAL SAFETY DATA SHEET

Not Classified as hazardous according to criteria of Worksafe Australia

PRODUCT: IRON MAGIC

SECTION 1 – PRODUCT IDENTIFICATION

Product Name: IRON MAGIC

Other Names:

Manufacturer's Product Code: 09

Distributor: Rubbedin Pty Ltd
Emergency Phone No: 0405358685
Regular Phone No: 3245 3255
Fax: 3245 2554
Email: rubbedin@rubbedin.com.au
Address: Unit 1/43 Neumann Road
Capalaba QLD 4157

SECTION 2 – HAZARDS IDENTIFICATION

Classification: This material is not classified as hazardous according to criteria of NOHSC.

| | | | |
|----------|----------------|-------------------|----------------|
| UN No: | Not applicable | PACKAGING GROUP: | Not applicable |
| CLASS: | Not applicable | HAZCHEM: | Not applicable |
| SUB-RISK | Not applicable | POISONS SCHEDULE: | Not applicable |

SECTION 3 – INGREDIENTS

| MATERIAL/COMPONENT | Wt% | CAS NUMBER |
|--------------------------------------|---------|------------|
| Products not classified as hazardous | to 100% | |

SECTION 4 -EMERGENCY AND FIRST AID PROCEDURES

For advice, contact a Poisons Information Centre (Phone e.g. Australia 131 126; New Zealand 0 800 764766) or a doctor.

EMERGENCY AND FIRST AID PROCEDURES

Swallowed: Rinse mouth with copious amount of water and give water to drink. Seek medical aid.
Eye: Hold eyes open and flush with water for at least 15 minutes. Seek medical attention promptly.
Skin: Remove contaminated clothing and wash affected area thoroughly with soap and water. Wash clothing before re-use.
Inhaled: Unlikely due to physical form of product. Take patient to fresh air and allow to assume most comfortable position until fully recovered.
First Aid Facilities: Running water
Advice to Doctor: Treat symptomatically

SECTION 5 – FIRE AND EXPLOSION DATA

| | | | |
|---------------------------------------|----------------|---------|----------------|
| Flash Point: | Non-flammable | Method: | Not applicable |
| Flammability Limits in Air (% Volume) | | | |
| Lower: | Not applicable | Upper: | Not applicable |

Fire Extinguishing Media: Product is non flammable. However, if involved in a fire, use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Special Fire Fighting Procedures: Product is non flammable. However, if involved in a fire, fire fighters to wear self-contained breathing apparatus and suitable protective clothing.



RUBBEDIN PTY LTD

MATERIAL SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills or leak: Prevent major spillage from entering storm waters drains or water course. Treat with appropriate absorbing material and collect and place in properly labelled drums ready for disposal. Small spills may be flushed away with water. CAUTION – Spilled product is slippery.

Waste Disposal: Refer to State Land Waste Management Authority. Do not dump large quantities into biological treatment ponds.

SECTION 7 HANDLING AND STORAGE

Handling and Storage: Avoid contact with eyes. Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described below in Section 10 - Stability and Reactivity Data. Keep containers closed when not in use – check regularly for leaks. Handle with care.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards: No value assigned for this specific material by the National Occupational Health and Safety Commission.

Engineering Controls: Good industrial hygiene.

Personal Protection: Avoid contact with eyes. Wear eye protection if risk of eye contamination exists.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---|-----------------------------------|---------------------|---------------|
| Boiling Point (C): | Not available | Volatiles: | >85% |
| Melting Point(C): | Not available | Press@20C mm Hg: | Not available |
| Specific Gravity: | 1.05 – 1.15 | VAP Density: | Not available |
| Sol In Water: | Soluble | pH at Use Dilution: | 8.5 – 9.5 |
| Evaporation Rate (nButyl Acetate=1) N/A | | pH: | 8.5 – 9.5 |
| Appearance: | Green, viscous, opaque suspension | | |

SECTION 10 – STABILITY AND REACTIVITY DATA

| | |
|-----------------------------------|--|
| Stability | Stable under normal temperature and pressure |
| Conditions to Avoid | Oxidising agents, extremes in temperature. |
| Incompatibilities | Oxidising agents, extremes in temperature. |
| Hazardous decomposition products: | Toxic fumes of carbon oxides on combustion or oxidation. |
| Hazardous Polymerisation | Will not occur |

SECTION 11 - TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

HEALTH EFFECTS

Swallowed: May cause slight irritation.

Eye: Slight irritant

Skin: Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Inhaled: Unlikely due to physical form of product

Long Term Effects:
No information available for the product.

Toxicological Data:
No LD50 data available for the product.

SECTION 12 - ECOLOGICAL INFORMATION



RUBBEDIN PTY LTD
MATERIAL SAFETY DATA SHEET

Avoid contaminating waterways

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of material according to Local Authority Regulations or through a licensed waste contractor.

SECTION 14 TRANSPORT INFORMATION

Road and Rail Transport: Not currently classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.
Marine Transport: Not currently classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Air Transport: Not currently classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

SECTION 15 REGULATORY INFORMATION

Classification: This material is not classified as hazardous according to criteria of NOHSC. All the constituents of this material are listed on the Australian Inventory of Chemical Substances.

Poison Schedule: Not applicable

SECTION 16 OTHER INFORMATION

CONTACT POINTS

| ORGANISATION | TELEPHONE | ASK FOR |
|---|------------------|----------------|
| Poisons Information Centre – Australia Wide | 131126 | |
| Lakeland & Company: | | |
| Technical Manager: | (07) 3245 3255 | |
| Emergency Co-ordinator: | 0405358685 | |
| Fire Brigade | 000 | Fire Brigade |
| Police | 000 | Police |

The MSDS is valid for five years from date of issue but may be withdrawn and revised at any time prior to that date. All information contained in the Data Sheet is as accurate as possible at the time of issue. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. As per the Worksafe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application. No expressed or implied warranties nor any responsibility for damages resulting from use of the information are given other than those implied mandatory by Commonwealth, State or Territory Legislation. If this product is to be re-packaged by others, it will be necessary for a new MSDS to be generated by the re-packer.

Formula Code: 09
PREPARED BY: Malcolm Swanney BSc CHEM Title: Chemist Date: 12/07/07